BIOVIRIDIAN

Excellence in HPLC-MS Analysis

CERTIFICATE OF ANALYSIS

Web Verification Code: **COA4392**

SAMPLE RECEIVED
May 8, 2026

COA ISSUED
May 18, 2026

SAMPLE INFORMATION

Vendor
PeptiNova

Sample Name
GLOW 70mg

Sample Type
Blue lyophilized powder

Lot Number
GL700526

Molecular Weight
403.2, 1419.5, 4964.2 g/mol

ANALYTICAL METHODS


Identity: Confirmed via LC–MS/MS
Purity: RP-HPLC (214 nm)
Content: HPLC quantitation


TEST RESULTS


Specification	Result	Method	Status
Identity: GLOW	GHK-Cu, BPC-157, TB-500	LC-MS/MS	✓ Conforms
Content	51.27, 10.89, 10.84 mg	HPLC Quantitation	✓ Conforms
Overall Purity	99.9%	RP-HPLC (214 nm)	✓ Conforms

HPLC Chromatogram · Retention Time 1.524, 8.352, 8.385 **min**









Certification: This Certificate of Analysis confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Verify authenticity at **bioviridians.com/coa-search.html** using the Web Verification Code above.

info@bioviridians.com

Shane Straight

Shane Straight, M.S.
Principal Chemist, Bioviridian Inc.