# BIOVIRIDIAN

Excellence in HPLC-MS Analysis

# CERTIFICATE OF ANALYSIS

Web Verification Code: **COA4393**

SAMPLE RECEIVED
**May 8, 2026**

COA ISSUED
**May 18, 2026**

## SAMPLE INFORMATION

Vendor
**PeptiNova**

Sample Name
**BPC-157,TB-500 20mg**

Sample Type
**White lyophilized powder**

Lot Number
**BB200526**

Molecular Weight
**1419.5, 889.1 g/mol**

## ANALYTICAL METHODS


**Identity:** Confirmed via LC–MS/MS
**Purity:** RP-HPLC (214 nm)
**Content:** HPLC quantitation


## TEST RESULTS

| Specification | Result | Method | Status |
|---|---|---|---|
| Identity: BPC-157+TB-500 | BPC-157, TB-500 | LC-MS/MS | ✓ Conforms |
| Content | 10.44, 10.58 mg | HPLC Quantitation | ✓ Conforms |
| Overall Purity | 99.9% | RP-HPLC (214 nm) | ✓ Conforms |

**HPLC Chromatogram · Retention Time** 8.387 **min**




**Certification:** This Certificate of Analysis confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Verify authenticity at **bioviridians.com/coa-search.html** using the Web Verification Code above.

info@bioviridians.com

Shane Straight

**Shane Straight, M.S.**
Principal Chemist, Bioviridian Inc.