BIOVIRIDIAN

Excellence in HPLC-MS Analysis

CERTIFICATE OF ANALYSIS

Web Verification Code: **COA4402**

SAMPLE RECEIVED
May 8, 2026

COA ISSUED
May 18, 2026

SAMPLE INFORMATION

Vendor
PeptiNova

Sample Name
GLP-2 TIRZ 60mg

Sample Type
White lyophilized powder

Lot Number
TZ600526

Molecular Weight
4813.5 g/mol

ANALYTICAL METHODS


Identity: Confirmed via LC–MS/MS
Purity: RP-HPLC (214 nm)
Content: HPLC quantitation


TEST RESULTS

Specification	Result	Method	Status
Identity: GLP-2 TIRZ	GLP-2 TIRZ	LC-MS/MS	✓ Conforms
Content	61.22 mg	HPLC Quantitation	✓ Conforms
Overall Purity	99.9%	RP-HPLC (214 nm)	✓ Conforms

HPLC Chromatogram · Retention Time 11.168 **min**







Certification: This Certificate of Analysis confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Verify authenticity at **bioviridians.com/coa-search.html** using the Web Verification Code above.

info@bioviridians.com

Shane Straight

Shane Straight, M.S.
Principal Chemist, Bioviridian Inc.